



**FT 247/06**

**Réf 55155** - (Also suitable for foals)

## CHARACTERISTIC



Height :	<b>90mm</b>
Inside diameter flange:	<b>28mm</b>
Outside diameter flange:	<b>46mm</b>
Drilling :	<b>3mm hole</b>
Force at break:	<b>≥ 90 N</b>
Packaging:	<b>Bulk per 500 or according to request</b>

## PRODUCT INFORMATION

**Manufacturing process :** Molding

**Material: DRY NATURAL RUBBER PURE GUM**

**French Manufacture**

**Color :** honey

**Shore hardness :** 35 ± 5 points Sh A

**Density :** 0,93 ± 0,01

**Nitrosables-free** in accordance with Directive 93/11/EEC.

**Recommended storage conditions :**

Protect from light, in a dry atmosphere.  
Does not tolerate extreme temperature conditions.

**Alimentarity :**

In accordance with the Ministerial order of 5 August 2020 and its amendments relating to materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

In accordance with the Regulation (EC) n° 1935/2004 and its amendments relating to rubber materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

**Anti-allergic Teats**

**Shelf life of 2 years under recommended storage conditions.**



**FT 247/06**

**Réf 55135** - (Also suitable for foals)

### CHARACTERISTIC



Height :	<b>105mm</b>
Inside diameter flange:	<b>22mm</b>
Outside diameter flange:	<b>38mm</b>
Drilling :	one/cross <b>4mm hole</b>
Force at break:	<b>≥ 90 N</b>
Packaging:	<b>Bulk per 500 or according to request</b>

### PRODUCT INFORMATION

**Manufacturing process :** Molding

**Material: DRY NATURAL RUBBER PURE GUM**

**French Manufacture**

**Color :** honey

**Shore hardness :** 35 ± 5 points Sh A

**Density :** 0,93 ± 0,01

**Nitrosables-free** in accordance with Directive 93/11/EEC.

**Recommended storage conditions :**  
Protect from light, in a dry atmosphere.  
Does not tolerate extreme temperature conditions.

**Alimentarity :**

In accordance with the Ministerial order of 5 August 2020 and its amendments relating to materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

In accordance with the Regulation (EC) n° 1935/2004 and its amendments relating to rubber materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

**Anti-allergic Teats**

**Shelf life of 2 years under recommended storage conditions.**

FT 247/06

Réf 55106 - (Also suitable for foals)

## CHARACTERISTIC



Height :	<b>135mm</b>
Inside diameter flange:	<b>25mm</b>
Outside diameter flange:	<b>35mm</b>
Drilling :	<b>Y</b>
Force at break:	<b>≥ 90 N</b>
Packaging:	<b>Bulk per 500 or according to request</b>

## PRODUCT INFORMATION

**Manufacturing process :** Molding

**Material:** DRY NATURAL RUBBER PURE GUM

**French Manufacture**

**Color :** honey

**Shore hardness :** 35 ± 5 points Sh A

**Density :** 0,93 ± 0,01

**Nitrosables-free** in accordance with Directive 93/11/EEC.

**Recommended storage conditions :**  
Protect from light, in a dry atmosphere.  
Does not tolerate extreme temperature conditions.

**Alimentarity :**

In accordance with the Ministerial order of 5 August 2020 and its amendments relating to materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

In accordance with the Regulation (EC) n° 1935/2004 and its amendments relating to rubber materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

**Anti-allergic Teats**

**Shelf life of 2 years under recommended storage conditions.**

**FT 247/06**

**Réf 55130** - (Also suitable for foals)

## CHARACTERISTIC



Height :	<b>120mm</b>
Inside diameter flange:	<b>22mm</b>
Outside diameter flange:	<b>39mm</b>
Drilling :	<b>crosse</b>
Force at break:	<b>≥ 90 N</b>
Packaging:	<b>Bulk per 500 or according to request</b>

## PRODUCT INFORMATION

**Manufacturing process :** Molding

**Material: DRY NATURAL RUBBER PURE GUM**

**French Manufacture**

**Color :** honey

**Shore hardness :** 35 ± 5 points Sh A

**Density :** 0,93 ± 0,01

**Nitrosables-free** in accordance with Directive 93/11/EEC.

**Recommended storage conditions :**  
Protect from light, in a dry atmosphere.  
Does not tolerate extreme temperature conditions.

### Alimentarity :

In accordance with the Ministerial order of 5 August 2020 and its amendments relating to materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

In accordance with the Regulation (EC) n° 1935/2004 and its amendments relating to rubber materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

### Anti-allergic Teats

**Shelf life of 2 years under recommended storage conditions.**



**FT 247/06**

**Réf 55150** - (Also suitable for foals)

## CHARACTERISTIC



Height :	<b>90mm</b>
Inside diameter flange:	<b>28mm</b>
Outside diameter flange:	<b>56mm</b>
Drilling :	<b>3mm hole</b>
Force at break:	<b>≥ 90 N</b>
Packaging:	<b>Bulk per 500 or according to request</b>

## PRODUCT INFORMATION

**Manufacturing process :** Molding

**Material: DRY NATURAL RUBBER PURE GUM**

**French Manufacture**

**Color :** honey

**Shore hardness :** 35 ± 5 points Sh A

**Density :** 0,93 ± 0,01

**Nitrosables-free** in accordance with Directive 93/11/EEC.

**Recommended storage conditions :**  
Protect from light, in a dry atmosphere.  
Does not tolerate extreme temperature conditions.

### Alimentarity :

In accordance with the Ministerial order of 5 August 2020 and its amendments relating to materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

In accordance with the Regulation (EC) n° 1935/2004 and its amendments relating to rubber materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

### Anti-allergic Teats

**Shelf life of 2 years under recommended storage conditions.**



**FT 247/06**

**Réf 55146** - (Also suitable for foals)

## CHARACTERISTIC



Height :	<b>91mm</b>
Inside diameter flange:	<b>25mm</b>
Outside diameter flange:	<b>35mm</b>
Drilling :	<b>4mm hole</b>
Force at break:	<b>≥ 90 N</b>
Packaging:	<b>Bulk per 500 or according to request</b>

## PRODUCT INFORMATION

**Manufacturing process :** Molding

**Material: DRY NATURAL RUBBER PURE GUM**

**French Manufacture**

**Color :** honey

**Shore hardness :** 35 ± 5 points Sh A

**Density :** 0,93 ± 0,01

**Nitrosables-free** in accordance with Directive 93/11/EEC.

**Recommended storage conditions :**  
Protect from light, in a dry atmosphere.  
Does not tolerate extreme temperature conditions.

### Alimentarity :

In accordance with the Ministerial order of 5 August 2020 and its amendments relating to materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

In accordance with the Regulation (EC) n° 1935/2004 and its amendments relating to rubber materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

### Anti-allergic Teats

**Shelf life of 2 years under recommended storage conditions.**



**FT 247/06**

**Réf 41400** - (Also suitable for kiddies)

## CHARACTERISTIC



Height :	<b>90mm</b>
Inside diameter flange:	<b>28mm</b>
Outside diameter flange:	<b>46mm</b>
Drilling :	<b>3mm hole</b>
Force at break:	<b>≥ 90 N</b>
Packaging:	<b>Bulk per 2000</b>

## PRODUCT INFORMATION

**Manufacturing process :** Molding

**Material: DRY NATURAL RUBBER PURE GUM**

**French Manufacture**

**Color :** honey

**Shore hardness :** 35 ± 5 points Sh A

**Density :** 0,93 ± 0,01

**Nitrosables-free** in accordance with Directive 93/11/EEC.

**Recommended storage conditions :**  
Protect from light, in a dry atmosphere.  
Does not tolerate extreme temperature conditions.

### Alimentarity :

In accordance with the Ministerial order of 5 August 2020 and its amendments relating to materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

In accordance with the Regulation (EC) n° 1935/2004 and its amendments relating to rubber materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

### Anti-allergic Teats

**Shelf life of 2 years under recommended storage conditions.**





**FT 247/06**

**Réf 41200** - (Also suitable for kiddies)

## CHARACTERISTIC



Height :	<b>69mm</b>
Inside diameter flange:	<b>16mm</b>
Outside diameter flange:	<b>25mm</b>
Drilling :	<b>4mm slot</b>
Force at break:	<b>≥ 90 N</b>
Packaging:	<b>Bulk per 2000</b>

## PRODUCT INFORMATION

**Manufacturing process :** Molding

**Material: DRY NATURAL RUBBER PURE GUM**

**French Manufacture**

**Color :** honey

**Shore hardness :** 35 ± 5 points Sh A

**Density :** 0,93 ± 0,01

**Nitrosables-free** in accordance with Directive 93/11/EEC.

**Recommended storage conditions :**

Protect from light, in a dry atmosphere.  
Does not tolerate extreme temperature conditions.

**Alimentarity :**

In accordance with the Ministerial order of 5 August 2020 and its amendments relating to materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

In accordance with the Regulation (EC) n° 1935/2004 and its amendments relating to rubber materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

**Anti-allergic Teats**

**Shelf life of 2 years under recommended storage conditions.**



**FT 247/06**

**Réf 41500** - (Also suitable for kiddies)

## CHARACTERISTIC



Height :	<b>48mm</b>
Inside diameter flange:	<b>23mm</b>
Outside diameter flange:	<b>35mm</b>
Flange thickness:	<b>6mm</b>
Drilling :	<b>Cross or slot</b>
Particularity :	<b>Drilling reinforcement</b>
Packaging:	<b>Bulk per 2000</b>

## PRODUCT INFORMATION

**Manufacturing process :** Molding

**Material:** DRY NATURAL RUBBER PURE GUM

**French Manufacture**

**Color :** honey

**Shore hardness :** 35 ± 5 points Sh A

**Density :** 0,93 ± 0,01

**Nitrosables-free** in accordance with Directive 93/11/EEC.

**Recommended storage conditions :**  
Protect from light, in a dry atmosphere.  
Does not tolerate extreme temperature conditions.

**Alimentarity :**

In accordance with the Ministerial order of 5 August 2020 and its amendments relating to materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

In accordance with the Regulation (EC) n° 1935/2004 and its amendments relating to rubber materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

**Anti-allergic Teats**

**Shelf life of 2 years under recommended storage conditions.**



**FT 247/06**

**Réf 55600** - (Also suitable for little animals → little rabbits)

## CHARACTERISTIC



Height :	<b>36mm</b>
Inside diameter flange:	<b>14mm</b>
Outside diameter flange:	<b>25mm</b>
Drilling :	<b>4mm slot</b>
Force at break:	<b>≥ 90 N</b>
Packaging:	<b>Bulk per 5000</b>

## PRODUCT INFORMATION

**Manufacturing process :** Molding

**Material:** DRY NATURAL RUBBER PURE GUM

**French Manufacture**

**Color :** honey

**Shore hardness :** 35 ± 5 points Sh A

**Density :** 0,93 ± 0,01

**Nitrosables-free** in accordance with Directive 93/11/EEC.

**Recommended storage conditions :**  
Protect from light, in a dry atmosphere.  
Does not tolerate extreme temperature conditions.


**Alimentarity :**

In accordance with the Ministerial order of 5 August 2020 and its amendments relating to materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

In accordance with the Regulation (EC) n° 1935/2004 and its amendments relating to rubber materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

**Anti-allergic Teats**

**Shelf life of 2 years under recommended storage conditions.**



**FT 247/06**

**Réf 55700**

## **CHARACTERISTIC**



Height :	<b>32mm</b>
Inside diameter flange:	<b>32mm</b>
Outside diameter flange:	<b>40mm</b>
Drilling :	<b>3mm slot</b>
Packaging:	<b>Bulk per 2000</b>

**Assembly on baby's bottle and standard ring diameter  
40**

## **PRODUCT INFORMATION**

**Manufacturing process :** Molding

**Material:** DRY NATURAL RUBBER PURE  
**GUM**

**French Manufacture**

**Color :** honey

**Shore hardness :** 35 ± 5 points Sh A

**Density :** 0,93 ± 0,01

**Nitrosables-free** in accordance with  
Directive 93/11/EEC.

**Recommended storage conditions :**  
Protect from light, in a dry atmosphere.  
Does not tolerate extreme temperature  
conditions.

**Alimentarity :**

In accordance with the Ministerial order of  
5 August 2020 and its amendments  
relating to materials and objects intended  
to encounter foodstuffs, products, and  
drinks for human and animal  
consumption.

In accordance with the Regulation (EC) n°  
1935/2004 and its amendments relating to  
rubber materials and objects intended to  
encounter foodstuffs, products, and drinks  
for human and animal consumption.

**Anti-allergic Teats**

**Shelf life of 2 years under recommended  
storage conditions.**



FT 247/06

Réf 55800

## CHARACTERISTIC



Height :	<b>40mm</b>
Inside diameter flange:	<b>23mm</b>
Outside diameter flange:	<b>40mm</b>
Flange thickness:	<b>3mm</b>
Drilling :	<b>2,5mm slot</b>
Packaging:	<b>Bulk per 2000</b>

**Assembly on baby's bottle and standard ring diameter 40**

## PRODUCT INFORMATION

**Manufacturing process :** Molding

**Material:** SILICONE

**French Manufacture**

**Color :** honey

**Shore hardness:** 50 ± 5 points Sh A

**Density :** 1,15 ± 0,01

**Nitrosables-free** in accordance with Directive 93/11/EEC.

**Recommended storage conditions :**

Protect from light, in a dry atmosphere.  
Does not tolerate extreme temperature conditions.


**Alimentarity :**

In accordance with the French Decree of 25/11/92 relating to silicon materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

In accordance with the Regulation (EC) n° 1935/2004 and its amendments relating to silicon materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption

**Anti-allergic Teats**

**Shelf life of 3 years under recommended storage conditions.**



**FT 247/06**

**Réf 55170** - (Also suitable for foals)

## CHARACTERISTIC



Height :	<b>66mm</b>
Inside diameter flange:	<b>19mm</b>
Outside diameter flange:	<b>25mm</b>
Drilling :	<b>4mm slot</b>
Force at break:	<b>≥ 90 N</b>
Packaging:	<b>Bulk per 500 or according to request</b>

## PRODUCT INFORMATION

**Manufacturing process :** Molding

**Material:** DRY NATURAL RUBBER PURE GUM

**French Manufacture**

**Color :** honey

**Shore hardness :** 35 ± 5 points Sh A

**Density :** 0,93 ± 0,01

**Nitrosables-free** in accordance with Directive 93/11/EEC.

**Recommended storage conditions :**

Protect from light, in a dry atmosphere.  
Does not tolerate extreme temperature conditions.

**Alimentarity :**

In accordance with the Ministerial order of 5 August 2020 and its amendments relating to materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

In accordance with the Regulation (EC) n° 1935/2004 and its amendments relating to rubber materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

**Anti-allergic Teats**

**Shelf life of 2 years under recommended storage conditions.**



**FT 247/06**

**Réf 55160** - (Also suitable for foals)

### CHARACTERISTIC



Height :	<b>100mm</b>
Inside diameter flange:	<b>22mm</b>
Outside diameter flange:	<b>47mm</b>
Flange thickness:	<b>8mm</b>
Drilling :	<b>4mm slot</b>
Packaging:	<b>Bulk per 500 or according to request</b>

### PRODUCT INFORMATION

**Manufacturing process :** Molding

**Material: DRY NATURAL RUBBER PURE GUM**

**French Manufacture**

**Color :** honey

**Shore hardness :** 35 ± 5 points Sh A

**Density :** 0,93 ± 0,01

**Nitrosables-free** in accordance with Directive 93/11/EEC.

**Recommended storage conditions :**

Protect from light, in a dry atmosphere.  
Does not tolerate extreme temperature conditions.


**Alimentarity :**

In accordance with the Ministerial order of 5 August 2020 and its amendments relating to materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

In accordance with the Regulation (EC) n° 1935/2004 and its amendments relating to rubber materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

**Anti-allergic Teats**

**Shelf life of 2 years under recommended storage conditions.**



**FT 247/06**

**Réf 55180** - (Also suitable for foals)

## CHARACTERISTIC



Height :	<b>89mm</b>
Inside diameter flange:	<b>30mm</b>
Outside diameter flange:	<b>45mm</b>
Drilling :	<b>4mm slot</b>
Force at break:	<b>≥ 90 N</b>
Packaging:	<b>Bulk per 500 or according to request</b>

## PRODUCT INFORMATION

**Manufacturing process :** Molding

**Material: DRY NATURAL RUBBER PURE GUM**

**French Manufacture**

**Color :** honey

**Shore hardness :** 35 ± 5 points Sh A

**Density :** 0,93 ± 0,01

**Nitrosables-free** in accordance with Directive 93/11/EEC.

**Recommended storage conditions :**

Protect from light, in a dry atmosphere.  
Does not tolerate extreme temperature conditions.

**Alimentarity :**

In accordance with the Ministerial order of 5 August 2020 and its amendments relating to materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

In accordance with the Regulation (EC) n° 1935/2004 and its amendments relating to rubber materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

**Anti-allergic Teats**

**Shelf life of 2 years under recommended storage conditions.**



**FT 247/06**

**Réf 55185** - (Also suitable for foals)

## CHARACTERISTIC

16



Height :	<b>108,5mm</b>
Teat base diameter :	<b>34mm</b>
Inside diameter flange:	<b>29mm</b>
Outside diameter flange:	<b>44mm</b>
Inside flange thickness:	<b>5mm (counterbore)</b>
External flange thickness :	<b>6mm</b>
Drilling :	<b>6mm hole</b>
Packaging:	<b>according to request</b>

## PRODUCT INFORMATION

**Manufacturing process :** Molding

**Material: DRY NATURAL RUBBER PURE GUM**

**French Manufacture**

**Color :** honey

**Shore hardness :** 35 ± 5 points Sh A

**Density :** 0,93 ± 0,01

**Nitrosables-free** in accordance with Directive 93/11/EEC.

**Recommended storage conditions :**  
Protect from light, in a dry atmosphere.  
Does not tolerate extreme temperature conditions.

**Alimentarity :**

In accordance with the Ministerial order of 5 August 2020 and its amendments relating to materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

In accordance with the Regulation (EC) n° 1935/2004 and its amendments relating to rubber materials and objects intended to encounter foodstuffs, products, and drinks for human and animal consumption.

**Anti-allergic Teats**

**Shelf life of 2 years under recommended storage conditions.**

